FzioMed, Inc.

170-A GRANADA DRIVE SAN LUIS OBISPO, CA 93401 PH 805.546.0610 FAX 805.546.0571

## 8115 '00 FEB -8 P2:27

February 4, 2000

Dockets Management Branch HFA-305 Food and Drug Administration 5630 Fisher Lane, rm. 1061 Rockville, MD 20852

Ref:

Docket No. 99D-5199

"Guidance for Resorbable Adhesion Barrier Device for Use in Abdominal and/or Pelvic Surgery"

To Whom It May Concern:

Please see and forward the attached letter to Dr. Elisa Harvey, (Ob/Gyn Branch/ODE/CDRH), concerning comments regarding the draft "Guidance for Resorbable Adhesion Barrier Device for Use in Abdominal and/or Pelvic Surgery".

Thank you very much.

Sincerely,

Thomas G. Juarez

Director, Regulatory Affairs

99D-5199

01



170-A GRANADA DRIVE SAN LUIS OBISPO, CA 93401 PH 805.546.0610 FAX 805.546.0571

February 4, 2000

Elisa Harvey, D.V.M., Ph.D.
Obstetrics & Gynecology Devices Branch
HFZ-470
ODE, CDRH, FDA
9200 Corporate Blvd.
Rockville, MD 20850

Dear Dr. Harvey:

FzioMed, Inc. is a research and development company in San Luis Obispo, CA involved in the development and manufacture of absorbable adhesion barrier medical devices. We have reviewed the draft guidance document on resorbable adhesion barrier devices and appreciate the opportunity to comment on several points of the proposed regulation.

We share the views recently expressed at the FDA Panel Meeting January 25, 2000, in Gaithersburg, MD. by the Adhesion Barrier Task Force, the ad-hoc group formed by members of industry, academia, and clinicians. In particular, we support the notion of establishing industry guidelines in consideration of the least burdensome approach promulgated in the FDA Modernization Act of 1997 (FDAMA). In addition, we would like to reiterate certain key points.

As stated by several speakers at the 1/25/00 advisory panel meeting, and has been cited many times in the literature, post-surgical adhesion reduction/prevention should be considered a clinical end-point, in and of itself. It is generally accepted in the medical community that these adhesions are a phenomenon that are likely to contribute to many of the medical conditions which have been previously proposed as "real" clinical end-points, e.g., infertility, pain, and bowel obstruction. Quite frankly, given the added burden of requiring the assessment of these "real" end-points, small, innovative development companies such as ours would cease to exist. FzioMed appreciates the possible need during post-marketing studies to gather this relative information, but does ask that the FDA use caution in defining the scope of this proposal.

In addition, FzioMed, Inc. has had extensive discussions with members of the medical surgical community in relation to (dis)similarities of adhesion formation following laparoscopy vs laparotomy surgical procedures. FzioMed feels very strongly that the FDA should not implement a default regulation requiring separate pivotal studies. Assuming the sponsor is able to make the argument that the device works equally well for either procedure, given the similarity in adhesion formation and mechanism of device operation, and that the device is shown in pilot studies to be safe for both procedures, it should be up to the sponsor to make the argument that the device is approvable for both indications.

FzioMed, Inc. very much appreciates the FDA's efforts, and in particular those of your office, in drafting a guidance document which, after consideration of industry's input, will evolve into one where there is consensus among all concerned.

Sincerely,

FzioMed, Inc.

Thomas G. Juarez

Director, Regulatory Affairs

TUE

Deliver By: 8FEB00 AA



| FecEx. USA Airbill Tritle 8157 7751 0113   | tomo 0215 Rectinion   |  |
|--|---|--|
| From This portion can be removed for Recipient's records.  Date 2/1/00 FedEx Tracking Number   | 4a Express Package Service    FedEx Priority Overnight   FedEx Standard Overnight   FedEx Figure   FedEx |  |
| Sender's 10 M Juanez Phone 805 #546 0610  Company FZIOMED INC  | Second business day Fedex Let Minimum 4. Fadex Let |  |
| Address 170 GRANADA DR STE A  Dept/Roor/Suite/Room  City SAN LUIS OBISPO  State CA ZIP 93401   | **Call for Confirmation:  Third business  **Call for Confirmation:  **Dec Packaging  **Dec Packaging  **Dec Packaging  **Other Pkc  |  |
| To Recipient's Docket's Mant. Branch HFA - 305 Name Docket's Mant. Branch Phone 301 594-3090   | 6 Special Handling Saturday Delivery Available for FedEx Priority Overnight and FedEx 2Day Overnight and FedEx 2Day Overnight and FedEx 2Day  | Ex Box, FadEx<br>stomer pkg.  LD Saturday edEx Location able for FedEx Priority night and FadEx 2Day |
| To Recipient's Dockets Mant. Branch HFA-305 Name Dockets Mant. Branch Phone 301 594-3090  Company Food & Drug Admin.  Address 5630 Fisher Lane Rm. 1061  | Does this shipment contain dangerous goods?  One box must be checked.  No Yes Yes Shipper's Declaration not required  Dangerous Goods cannot be shipped in FedEx packaging.  Dangerous Goods cannot be shipped in FedEx packaging.  | - xkg  |
| We cannot deliver to P.O. boxes or P.O. ZIP codes.  To "HOLD at FedEx location, print FedEx-location, print Fe | Sender Recipient Third Party Credit Card No. below.   | btain Recip.<br>cct. No.<br>Cash/Check   |
| City Cos 27/11 State 7/12 ZIP Z20032   | Total Packages Total Weight  1  1 Our liability is limited to \$100 unless you declare a higher value. See the FedEx Service Guide for details.   | otal Charges Credit Card Auth.   |
| 011599530  | 8 Release Signature Sign to authorize delivery without obtaining signature.  By signing you authorize us to deliver this shipment without obtaining a signature and agree to indemnify and hold us harmless from any resulting claims.  Questions? Call 1:800:Go:Fedic (800-463-3339)  Vialt our Web after at www.fedex.com Spr 999-8Pe. Use 17:99-Part if 1548:35 - 1994-98 Fedic. PRINTED IN U.S.X  | <b>59</b>  |